

**soleo**<sup>®</sup>  
P O O L S | by RPI

Much more **than a pool**




[www.soleorp.com](http://www.soleorp.com)



## STEEL PRIME®

SOLEO's version with STEELPRIME steel structure, beyond offering an unrivaled resistance, allows the application of PVC coating 75/100 or 150/100.



- A** Concrete base
- B** STEELPRIME panel
- C** Panel reinforcement
- D** Support coping support gutter
- E** Coping support gutter
- F** Fabistone coping
- G** PVC coating 75/100 or 150/100

Welcome to the world

**soleo**®  
P O O L S | by RPI

This technology was born of the idea and the need to get a stronger, cheaper, more environmentally friendly pool, easy and quick to install. A swimming pool able to give maximum comfort to users that responded to the problems of different kinds of weather, the movement of soil and allowing all kinds of high quality finishes.

The structure Soleo Pool not only responds to all these problems, as it can, if you wish be installed by yourself or installed partially or fully by our technical teams.

It's a patented modular system of panels in galvanized steel latest generation. It allows to perform all kinds of public and private pools with superior quality, and it offers a better alternative to traditional concrete structures and prefabricated pools in fiber.

The most resilient of all steels used  
in the construction of swimming pools



STEELPRIME is a trademark of RP industries to designate the new 2mm galvanized steel used in the construction of the SOLEO pools. SteelPrime has been tested and certified by LNEG according to NP EN 9227.


Exposed to all types of chemical attacks in a salt spray chamber, the structure of SOLEO POOLS kept all its promises proving to be the toughest steels used in the construction of swimming pools.

Its excellent galvanizing formula derives from a single chemical composition of metal plating by hot dipping in a composition exclusive of aluminum, zinc and magnesium which itself offers an outstanding resistance to corrosion. Provided with an additional PVC coating with strong thickness PRIMASTEEL, ensures a much more effective protective surface layer against corrosion and long-term wear than all traditional galvanizing processes.



## PRIMA STEEL®

Able to offer high resistance, PRIMASTEEL steel structure allows the application of different coatings, specially glass mosaic.




- A** Concrete base
- B** PRIMASTEEL panel
- C** Panel reinforcement
- D** Support coping support gutter
- E** Coping support gutter
- F** Fabistone coping
- G** Glass mosaic coating




## How to give color to your Soleo pool

In the SOLEO pools, beyond the standard finish with liner 75/100, you can coat the pool with reinforced liner 150/100, and in some cases, depending on the type of pool, you can apply Glass tile AQUAVITREO.


LINOV 75/100 LINER OR 150/100 REINFORCED LINER



AQUAVITREO STANDARD GLASS MOSAIC



CRYSTAL GLASS MOSAIC



**25 YEARS**  
WARRANTY  
EFFECTIVE WARRANTY

**STEEL PRIME®**

Total thickness de 2 mm  
UP TO TIMES MORE RESILIENT  
THAN TRADITIONAL STRUCTURES

**30 YEARS**  
WARRANTY  
EFFECTIVE WARRANTY

**PRIMA STEEL®**

2,3mm Total thickness  
COATING ON BOTH SIDES



Easiness, speed and robustness  
**taken to the limit**


More info:  
[www.soleorp.com](http://www.soleorp.com)

**ANTI-SEISMIC TECHNOLOGY**

The SOLEO pools are provided with a innovative anti-seismic technology that exhibits superior resistance to ground motion. Most robust relatively to the traditional concrete pools.



- 1 Anti-sliding coping
- 2 Coping gutter
- 3 Outlet nozzle
- 4 Steel structure
- 5 Drain
- 6 Projector
- 7 Connection box
- 8 Electric board
- 9 Skimmer
- 10 Filter
- 11 Pump
- 12 L-shaped reinforcement
- 13 Steel supports
- 14 Inlet nozzles
- 15 Piping
- 16 Liner
- 17 Concrete base with iron armour



**SOLEO  
WARRANTIES**  
PrimaSteel Structure 30 years  
Reinforced Liner 10 years  
Pump and Filter 2 years



**1 - CONCRETE BASE**  
A properly leveled concrete base, with average thickness of about 12-15 cm is performed.



**2- STRUCTURE**  
Consisting of robust galvanized steel panels with locking fastening system.



**3 - REINFORCEMENTS**  
Placed at each joint of the panels the reinforcing anchors allow a great rigidity and strength of the whole structure.



**4 - COATING**  
Sealing may be provided by different types of coatings: in virgin PVC 75/100 or 150/100 or Glass Mosaic.



**5- FINISHING**  
For the placement of capping is available a wide range of aesthetic finishes with high quality: reconstituted natural stone, ceramic, stainless steel, etc.



**6- FILTRATION**  
From conception to installation of equipment SOLEO places at the disposal technical and human resources necessary to implement all types of projects, whatever the size or complexity anywhere in the world.



Infinity technology

# swimming pool




AN INFINITY SENSATION

Developed exclusively for SOLEO range, the INFINITY system allows the installation of a steel swimming pool, with overflow. This new concept of RP INDUSTRIES allows to get amazing aesthetic results.

More info:

[www.soleorp.com](http://www.soleorp.com)



- 1 Gutter drain INFINITY
- 2 Inlet nozzle
- 3 Steel structure
- 4 Drain
- 5 Projector
- 6 Connection box
- 7 Electric panel
- 8 Filter
- 9 Pump
- 10 Coping gutter
- 11 Steel stays
- 12 Outlet nozzle
- 13 Piping
- 14 Coating
- 15 Concrete slab with ground armour
- 16 Overflow grating

**SOLEO WARRANTIES**  
PrimaSteel Structure 30 years  
Reinforced Liner 10 years  
Pump and Filter 2 years



Overflow technology


# swimming pool

EXCLUSIVE AND PATENTED SYSTEM

More than a novelty, this exclusive SOLEO pool innovative technology developed by RP Industries will change your idea of swimming pools. With the new aluminum Hung profile assembled to the special liner hooking, we will can build a mirror pool of great aesthetic beauty.

More info:

[www.soleorp.com](http://www.soleorp.com)



- 1 OVERFLOW Gutter drain
- 2 Inlet nozzle
- 3 Steel structure
- 4 Drain
- 5 Projector
- 6 Connection box
- 7 Electric panel
- 8 Filter
- 9 Pump
- 10 Gutter drain support
- 11 Steel stays
- 12 Outlet nozzle
- 13 Piping
- 14 Liner
- 15 Concrete slab with ground armour
- 16 ABS grating
- 17 Compensation tank



**SOLEO WARRANTIES**  
PrimaSteel Structure 30 years  
Reinforced Liner 10 years  
Pump and Filter 2 years



Miroir technology

# swimming pool



LUXURY, MODERNITY AND AESTHETIC

SOLEO's technology enables the construction of a mirror swimming pool in record time. With the new concept of MIROIR pools, the water line is at ground level, reflecting the sky, the landscape and the architectural details of the surrounding area.

More info:


[www.soleorp.com](http://www.soleorp.com)



- 1 MIROIR Gutter drain
- 2 Inlet nozzle
- 3 Steel structure
- 4 Drain
- 5 Projector
- 6 Connection box
- 7 Electric panel
- 8 Filter
- 9 Pump
- 10 Natural Stone Coping
- 11 Steel stays
- 12 Outlet nozzle
- 13 Piping
- 14 Reinforced liner
- 15 Concrete slab with ground armour
- 16 Compensation tank

SOLEO WARRANTIES

PrimaSteel Structure 30 years  
Reinforced Liner 10 years  
Pump and Filter 2 years






OPTIONS FOR POOLS


# with all the comfort


STAIRS

The steel stairs developed for SOLEO pools are very easy to install, more resistant, avoid the inconveniences of traditional stairs in blocks, acrylic or fiberglass and ensure perfection in aesthetics and beauty of the pool. The option for this type of stairs allows an equal and uniform finish throughout your pool, either in standard, reinforced liner or glass mosaic finish.





ROMAN STAIR







CORNER STAIRCASE







SQUARE STAIR







STAIRCASE  
ALONG THE WIDTH







CURVED STAIRCASE







OBLIQUE STAIRCASE







STAIRCASE  
+ EXTERIOR SPA







STAIRCASE  
+ INTERIOR SPA






LATERAL STAIRCASE





CORNER STAIRCASE  
+ SEAT



A variety of forms

## for a variety of tastes

SOLEO pools are designed in order that all panels be independent of each other and can be combined between them. Its assembly consists in joining the modules using a screw system until reaching the desired size and shape. Lines curved and straight, deep or not, SOLEO proposes you a multitude of shapes and models of incomparable swimming pools. If in the forms that we propose, you don't find the one you most want, do not limit your imagination: invert, increase or decrease in length, width or depth. Everything is possible.

MODELS

 <p>RECTANGLE R15</p>	 <p>RECTANGLE R25/R50</p>	 <p>CORDOBA</p>	 <p>SANTIAGO</p>	 <p>MERIDA</p>	 <p>MEDINA</p>	 <p>VIGO</p>	 <p>MALAGA</p>	 <p>JOINVILLE</p>	 <p>PARIS</p>
 <p>ANCARA</p>	 <p>CANNES</p>	 <p>LAZY OVALE</p>	 <p>LAZY "L"</p>	 <p>CARAT</p>	 <p>PALETTE</p>	 <p>CONTRA</p>	 <p>ROMAINE</p>	 <p>TREFLE</p>	 <p>OCTOGONALE ALONGEE</p>
 <p>OCTOGONALE "L"</p>	 <p>TERREBONNE</p>	 <p>SENTRA</p>	 <p>SUMMERVILLE</p>	 <p>TROPICANA</p>	 <p>OVALE</p>	 <p>SUPRA</p>	 <p>ROND</p>	 <p>RIO</p>	 <p>ODESSY</p>
 <p>RIO ROND</p>	 <p>REIN</p>	 <p>TROPIC</p>	 <p>FULL "L"</p>	 <p>CONTEMPORAIN "L"</p>	 <p>HELINA</p>	 <p>OLYMPIC</p>	Our technicians are available to find the best solution for your pool. <b>CONTACT US.</b>		

TYPE OF BOTTOM



COMPOSED BOTTOM  
1,10 m - 1,40 m Panel height



FLAT BOTTOM  
1,40 m Panel height



PYRAMIDAL BOTTOM  
1,10 m Panel height



BEACH BOTTOM  
0,00 m - 1,40 m Panel height



BEACH BOTTOM  
0,30 m - 1,40 m Panel Height



# OPTIONS FOR POOLS with all the comfort

SOLEO offers a wide range of options that allow you to customize your pool and equip it with functional and decorative accessories. Thus, your pool will become an even more attractive place and adapted to your needs and tastes.

## ROBOTS



Essential equipment to keep your pool always clean and effortlessly.

## LED LIGHTING



Consumes up to 80% less energy and has a life span 50 to 100 times higher compared to a traditional lamp. Available in White or light colors in RGB high power.

## ELECTROLYZER



Required, this equipment allows considerable savings. It's effective and the only one that allows complete peace in the maintenance and disinfection of the pool water. We advise its installation with automatic pH regulation.

# SAFETY SOLUTION and conservation of you pool

The range of SOLEO covers listed below offer quality solutions that allows you to, in addition to reducing maintenance costs, conserve and increase pool safety for children under 5 years of age.

## WINTER COVER



Ideal for the protection of the pool during the winter, prevents algae growth, reduces consumption with chemical treatment protects the pool from leaves, debris of vegetable and animal origin. Properly installed can be used to protect access to animals and children less than five years from the pool.

## BAR COVER



This cover easily allows its use throughout the year, protects the pool from dirt, reduces evaporation, limit the appearance of algae and reduce the consumption of chemicals.

## SLATTED COVERS



Protects the pool from debris, diminishes evaporation, increases the water temperature, limits the appearance of algae, reduces the consumption of chemicals and protects children and animals.

## FABISTONE COPINGS AND PAVEMENTS



Fabistone's pavements were developed taking in consideration the most strict quality criteria. As a consequence they are products easy to install, highly resilient, and capable of competing with natural stone in what concerns texture, colors and durability. Fabistone has available a wide range of products. For the SOLEO pools, RP Industries selected the ranges Granitus and Secular, both anti-slippery and resilient to freezing.

## SHOWERS



Stainless steel model supplied with or without foot washing.

Solar model equipped with hot water tank ready for use before and after diving in your pool.

# EXCLUSIVE Soleo system

## NEWSKIMMER

With an innovative design and an excellency finishing (AISI 316 stainless steel), the NEWSKIMMER was exclusively developed by RP INDUSTRIES to be applied in all SOLEO swimming pool.

Equipped with a lateral outlet to allow the connection with a level regulator, the NEWSKIMMER provides a high reliability functioning.



Standard Skimmer



Newskimmer

## JETS AND CASCADES



Stainless steel jets and waterfalls massage allow moments of relaxation and well-being, customizing and enhancing your pool.

## HEAT PUMP



Economical and reliable heat pump system is ideal to warm your pool water by extending their use longer or all year if appropriate solution. Consumed per unit provides a heating power of 5 times.

visit us  
[www.soleorp.com](http://www.soleorp.com)





SOLEO Partner:

Endless Pools Cyprus

info@endlesspoolscyprus.com  
www.endlesspoolscyprus.com

70071771



[www.soleorp.com](http://www.soleorp.com)



**RP INDUSTRIES, SA**

Parque Industrial de Sobreposta, Rua da Piscina, nº 70 - Sobreposta  
4715-553 Braga - Portugal

[www.grouprpi.com](http://www.grouprpi.com) | [info@grouprpi.com](mailto:info@grouprpi.com)